February 2022







Table 1: February 2022 Reportable Diseases

| Ohio Disease Reporting System (ODRS) | | Case Classifi | | Threshold | YTD | |
|---|-------------------|-----------------|-------------------|---------------|------------------|-------|
| REPORTABLE DISEASE | Suspected | Probable | Confirmed | Total | February | Cases |
| Campylobacteriosis | 0 | 1 | 0 | 1 | 1 | 3 |
| Chlamydia | 0 | 0 | 6 | 6 | 13 | 15 |
| COVID-19 | 0 | 118 | 242 | 360 | 152 | 2876 |
| Gonorrhea | 0 | 0 | 2 | 2 | 5 | 4 |
| Hepatitis B (including delta) – chronic | 1 | 0 | 0 | 1 | 2 | 1 |
| Hepatitis C – chronic | 0 | 1 | 0 | 1 | 4 | 2 |
| MIS-C associated with COVID-19 | 0 | 0 | 1 | 1 | 0 | 1 |
| Syphilis – stage Unknown | 2 | 0 | 0 | 2 | 0 | 3 |
| This report contains information regarding suspected, p | robable, and conj | firmed cases of | the diseases list | ed and are su | ıbject to change | 1 |



Figure 1: February 2022 Reportable Disease Comparison

*COVID-19 excluded due to the number of cases for February exceeding the graphing scale for all other communicable diseases







Figure 2: Knox County 2021 – 2022 Flu Season





| | | | 20 |)22 | | | | | | | | | |
|--|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| REPORTABLE DISEASE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC | YTD |
| Amebiasis | 0 | 0 | | | | | | | | | | | 0 |
| Anaplasmosis - Anaplasma phagocytophilum | 0 | 0 | | | | | | | | | | | 0 |
| Anthrax | 0 | 0 | | | | | | | | | | | 0 |
| Babesiosis | 0 | 0 | | | | | | | | | | | 0 |
| Botulism - foodborne | 0 | 0 | | | | | | | | | | | 0 |
| Botulism - infant | 0 | 0 | | | | | | | | | | | 0 |
| Botulism - wound | 0 | 0 | | | | | | | | | | | 0 |
| Brucellosis | 0 | 0 | | | | | | | | | | | 0 |
| Campylobacteriosis | 2 | 1 | | | | | | | | | | | 3 |
| Chancroid | 0 | 0 | | | | | | | | | | | 0 |
| Chlamydia | 9 | 6 | | | | | | | | | | | 15 |
| Cholera | 0 | 0 | | | | | | | | | | | 0 |
| Coccidiodomycosis | 0 | 0 | | | | | | | | | | | 0 |
| COVID-19 | 2514 | 360 | | | | | | | | | | | 2874 |
| CP-CRE | 2 | 0 | | | | | | | | | | | 2 |
| Creutzfeldt - Jakob Disease | 0 | 0 | | | | | | | | | | | 0 |
| Creutzfeldt - Jakob Disease - variant (vCJD) | 0 | 0 | | | | | | | | | | | 0 |
| Cryptosporidiosis | 0 | 0 | | | | | | | | | | | 0 |
| Cyclosporiasis | 0 | 0 | | | | | | | | | | | 0 |
| Cytomegalovirus - congenital (CMV) | 0 | 0 | | | | | | | | | | | 0 |
| Dengue | 0 | 0 | | | | | | | | | | | 0 |
| Dengue Hemorrhagic Fever | 0 | 0 | | | | | | | | | | | 0 |
| Diphtheria | 0 | 0 | | | | | | | | | | | 0 |



| | | | 20 |)22 | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| REPORTABLE DISEASE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC | YTD |
| E.coli - Not O157:H7 | 0 | 0 | | | | | | | | | | | 0 |
| E.coli - O157:H7 | 0 | 0 | | | | | | | | | | | 0 |
| E.coli - Unknown serotype | 0 | 0 | | | | | | | | | | | 0 |
| E.coli – (O157:H7, Not O157, Unknown serotype) | 0 | 0 | | | | | | | | | | | 0 |
| Eastern equine encephalitis virus disease | 0 | 0 | | | | | | | | | | | 0 |
| Ehrlichiosis/Anaplasmosis - Undetermined | 0 | 0 | | | | | | | | | | | 0 |
| Ehrlichiosis-Ehrlichia chaffeensis | 0 | 0 | | | | | | | | | | | 0 |
| Ehrlichiosis-Ehrlichia ewingii | 0 | 0 | | | | | | | | | | | 0 |
| Encephalitis - post chickenpox | 0 | 0 | | | | | | | | | | | 0 |
| Encephalitis - post mumps | 0 | 0 | | | | | | | | | | | 0 |
| Encephalitis - post other infection | 0 | 0 | | | | | | | | | | | 0 |
| Encephalitis - primary viral | 0 | 0 | | | | | | | | | | | 0 |
| Giardiasis | 0 | 0 | | | | | | | | | | | 0 |
| Gonorrhea | 2 | 2 | | | | | | | | | | | 4 |
| Granuloma inguinale | 0 | 0 | | | | | | | | | | | 0 |
| Haemophilus influenzae (invasive disease) | 0 | 0 | | | | | | | | | | | 0 |
| Hantavirus - infection | 0 | 0 | | | | | | | | | | | 0 |
| Hantavirus - pulmonary syndrome | 0 | 0 | | | | | | | | | | | 0 |
| Hemolytic uremic syndrome (HUS) | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis - acute viral undetermined etiology | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis A | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis B - investigation | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis B - Perinatal Infection | 0 | 0 | | | | | | | | | | | 0 |



| | | | 20 |)22 | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| REPORTABLE DISEASE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC | YTD |
| Hepatitis B (including delta) - acute | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis B (including delta) - acute/chronic | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis B (including delta) - chronic | 0 | 1 | | | | | | | | | | | 1 |
| Hepatitis C - acute | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis C - acute/chronic | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis C - chronic | 1 | 1 | | | | | | | | | | | 2 |
| Hepatitis C – Perinatal Infection | 0 | 0 | | | | | | | | | | | 0 |
| Hepatitis E | 0 | 0 | | | | | | | | | | | 0 |
| Herpes - congenital | 0 | 0 | | | | | | | | | | | 0 |
| Immigrant Investigation | 0 | 0 | | | | | | | | | | | 0 |
| Influenza – ODH Lab Results | 0 | 0 | | | | | | | | | | | 0 |
| Influenza – associated hospitalization | 1 | 0 | | | | | | | | | | | 1 |
| Influenza – associated pediatric mortality | 0 | 0 | | | | | | | | | | | 0 |
| Influenza Seasonal (IRIS) | 28 | 24 | | | | | | | | | | | 52 |
| Kawasaki disease | 0 | 0 | | | | | | | | | | | 0 |
| LaCrosse virus disease | 0 | 0 | | | | | | | | | | | 0 |
| Legionellosis – Legionnaires' Disease | 0 | 0 | | | | | | | | | | | 0 |
| Leprosy (Hansen Disease) | 0 | 0 | | | | | | | | | | | 0 |
| Leptospirosis | 0 | 0 | | | | | | | | | | | 0 |
| Listeriosis | 0 | 0 | | | | | | | | | | | 0 |
| Lyme Disease | 1 | 0 | | | | | | | | | | | 1 |
| Lymphogranuloma venereum (LGV) | 0 | 0 | | | | | | | | | | | 0 |
| Malaria | 0 | 0 | | | | | | | | | | | 0 |



| | | | 20 |)22 | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| REPORTABLE DISEASE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC | YTD |
| Measles – imported from outside Ohio | 0 | 0 | | | | | | | | | | | 0 |
| Measles – indigenous to Ohio | 0 | 0 | | | | | | | | | | | 0 |
| Measles – status not determined | 0 | 0 | | | | | | | | | | | 0 |
| Meningitis – aseptic/viral | 0 | 0 | | | | | | | | | | | 0 |
| Meningitis – bacterial (Not N. meningitidis) | 0 | 0 | | | | | | | | | | | 0 |
| Meningococcal disease - Neisseria meningitidis | 0 | 0 | | | | | | | | | | | 0 |
| MIS-C associated with COVID-19 | 0 | 1 | | | | | | | | | | | 1 |
| Mumps | 0 | 0 | | | | | | | | | | | 0 |
| Mycobacterial disease – other than tuberculosis | 0 | 0 | | | | | | | | | | | 0 |
| Other arthropod-borne disease | 0 | 0 | | | | | | | | | | | 0 |
| Pertussis | 0 | 0 | | | | | | | | | | | 0 |
| Plague | 0 | 0 | | | | | | | | | | | 0 |
| Poliomyelitis – non-paralytic | 0 | 0 | | | | | | | | | | | 0 |
| Poliomyelitis – paralytic | 0 | 0 | | | | | | | | | | | 0 |
| Poliomyelitis – paralytic/non-paralytic | 0 | 0 | | | | | | | | | | | 0 |
| Powassan virus disease | 0 | 0 | | | | | | | | | | | 0 |
| Psittacosis | 0 | 0 | | | | | | | | | | | 0 |
| Q fever, acute | 0 | 0 | | | | | | | | | | | 0 |
| Q fever, chronic | 0 | 0 | | | | | | | | | | | 0 |
| Rabies – animal | 0 | 0 | | | | | | | | | | | 0 |
| Reye syndrome | 0 | 0 | | | | | | | | | | | 0 |
| Rheumatic fever | 0 | 0 | | | | | | | | | | | 0 |
| Rocky Mountain spotted fever (RMSF) | 0 | 0 | | | | | | | | | | | 0 |
| Rubella – congenital | 0 | 0 | | | | | | | | | | | 0 |



| | | | 202 | 22 | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| REPORTABLE DISEASE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC | YTD |
| Rubella – not congenital | 0 | 0 | | | | | | | | | | | 0 |
| Salmonellosis | 1 | 0 | | | | | | | | | | | 1 |
| Severe Acute Respiratory Syndrome (SARS) | 0 | 0 | | | | | | | | | | | 0 |
| Shigellosis | 0 | 0 | | | | | | | | | | | 0 |
| Smallpox | 0 | 0 | | | | | | | | | | | 0 |
| St. Louis encephalitis virus disease | 0 | 0 | | | | | | | | | | | 0 |
| Staphylococcal aureus - intermediate (VISA) | 0 | 0 | | | | | | | | | | | 0 |
| Staphylococcal aureus - vancomycin resistant (VRSA) | 0 | 0 | | | | | | | | | | | 0 |
| Streptococcal – Group A – invasive | 0 | 0 | | | | | | | | | | | 0 |
| Streptococcal – Group B – in newborn | 0 | 0 | | | | | | | | | | | 0 |
| Streptococcal toxic shock syndrome (STSS) | 0 | 0 | | | | | | | | | | | 0 |
| Streptococcus pneumoniae - unknown resistance | 0 | 0 | | | | | | | | | | | 0 |
| Streptococcus pneumoniae – intermediate resistance | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – congenital | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – early | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – late latent (>1 year) asymptomatic | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – late with clinical manifestations | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – late with symptoms | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – primary | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – secondary | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – stage Unknown | 1 | 2 | | | | | | | | | | | 3 |
| Syphilis – unknown duration or late | 0 | 0 | | | | | | | | | | | 0 |
| Syphilis – unknown latent | 0 | 0 | | | | | | | | | | | 0 |



| | | | 20 |)22 | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| REPORTABLE DISEASE | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC | YTD |
| Tetanus | 0 | 0 | | | | | | | | | | | 0 |
| Toxic shock syndrome (TSS) | 0 | 0 | | | | | | | | | | | 0 |
| Toxoplasmosis – congenital | 0 | 0 | | | | | | | | | | | 0 |
| Trichinosis | 0 | 0 | | | | | | | | | | | 0 |
| Tuberculosis | 0 | 0 | | | | | | | | | | | 0 |
| Tuberculosis – multi-drug resistant (MDR-TB) | 0 | 0 | | | | | | | | | | | 0 |
| Tularemia | 0 | 0 | | | | | | | | | | | 0 |
| Typhoid fever | 0 | 0 | | | | | | | | | | | 0 |
| Typhus fever | 0 | 0 | | | | | | | | | | | 0 |
| Varicella | 0 | 0 | | | | | | | | | | | 0 |
| Vibrio parahaemolyticus infection | 0 | 0 | | | | | | | | | | | 0 |
| Vibrio vulnificus infection | 0 | 0 | | | | | | | | | | | 0 |
| Vibriosis – other (not cholera) | 0 | 0 | | | | | | | | | | | 0 |
| Viral Hemorrhagic Fever (VHF) | 0 | 0 | | | | | | | | | | | 0 |
| West Nile virus disease | 0 | 0 | | | | | | | | | | | 0 |
| Western equine encephalitis virus disease | 0 | 0 | | | | | | | | | | | 0 |
| Yellow fever | 0 | 0 | | | | | | | | | | | 0 |
| Yersiniosis | 0 | 0 | | | | | | | | | | | 0 |
| Zika virus disease | 0 | 0 | | | | | | | | | | | 0 |

